WQCO Corp.

Data Sheet



Brackish Water Reverse Osmosis (RO) Membranes

BW 4040 ES

Energy Saving

Overview


WACO Corp NanoH $_2$ O TM brackish water RO membranes serve various municipal and industrial applications and have been operating in the major utilities around the world. Incorporating innovative Thin Film Nanocomposite (TFN) technology, all WACO Corp membranes provide superior performance along with intrinsic anti-fouling property and are suitable for applications where consistent and reliable performance is a must.

BW ES membranes offer high permeability at low feed pressure, significantly reducing operating costs: suitable for low to medium salinity brackish water applications.

Product Specifications

Active Membrane	Permeate flow rate, GPD (m³/d)	Stabilized Salt	Minimum Salt	Feed Spacer,
Area, ft² (m²)		Rejection, %	Rejection, %	mil
85 (7.9)	2,500 (9.5)	99.5	99.2	28

Test Conditions: 2,000 ppm NaCl at 25°C (77°F), 150 psi (10.3 bar), pH 7, Recovery 15%. Permeate flows for individual elements may vary +/-20%.



A,	B,	C,	D,	Weight
mm (in.)	mm (in.)	mm (in.)	mm (in.)	kg (lbs.)
1,016	100	19	29	4.0
(40)	(3.9)	(0.75)	(1.1)	(8.8)

Operating Specifications

Max. Applied pressure	600 psi (41 bar)	
Max. Chlorine concentration	< 0.1 ppm	
Max. Operating temperature	45°C (113°F)	
pH Range, Continuous (Cleaning)	2-11 (2-12)	
Max. Feedwater turbidity	1.0 NTU	
Max. Feedwater SDI (15 mins)	5.0	
Max. Feed flow	16 gpm (3.6 m ³ /h)	
Max. Pressure drop (ΔP) for each element	15 psi (1.0 bar)	

The information and data contained herein are deemed to be accurate and reliable and are offered in good faith, but without guarantee of performance. WACO Corp assumes no liability for results obtained or damages incurred through the application of the information contained herein. Customer is responsible for determining whether the products and information presented herein are appropriate for the customer's use and for ensuring that customer's workplace and disposal practices are in compliance with applicable laws and other governmental enactments. Specifications subject to change without notice. NanoH₂O is the Trademark of The WACO Water Solutions or an affiliated company of WACO corp.

